



PRICES EFFECTIVE MAY 75.

Kant A. Lomont LOMONT PRECISION BULLETS

4421 SOUTH WAYNE
FORT WAYNE, IN. 46807
F.F.L. numbers 35-9768, 35-9769 PHONE 219-744-8883
"specializing in custom reloading & shooters' supplies"
CUSTOM AUTO MAG WORK OUR SPECIALTY

1-17-77

AUTO MAG IN 357 OR 44 COMPLETE WITH CARRYING CASE, INSTRUCTIONS, AND LUBRICANT, 6 1/2 RIBBED, 8 1/2 or 10 1/2 bbl. \$600.00
CUSTOM AUTO MAG WITH MAG-NA-PORT, CUSTOM GRIPS, CLIP DEPRESSOR, BOX OF AMMO, ANY CAL OR BBL LENGTH. \$500.00
EXTRA BBL ASSEMBLIES 44 OR 357 (41 WHEN AVAIL.) 6 1/2 - \$180.00, 8 1/2 - \$225.00, 10 1/2 - \$275.00 225.00 687.00

YOUR AUTO MAG SCOPED WITH LUPOLD M-8-2X, SET UP AND MODIFIED FOR POSITIVE FUNCTION WITH ADDED WEIGHT-COMplete
WITH STANDARD WEAVER BASE AND RINGS, \$130.00 WITH CUSTOM BASE AND RINGS (SEE PROTOTYPE PG. 89 1975 HANDLOADERS
DIGEST) \$360.00.

RCBS LOADING DIES 44 AMP FOUR DIE SET - 24.50ppd., 357 AMP THREE DIE SET - 28.00ppd., 357 AMP FOUR DIE SET (MANDATORY
FOR GOOD AMMO) - 32.00ppd.,

CASE FORMING DIES FROM 308, 243, 244, 30-06, 22-250 etc. 44AMP = \$28.00 ppd, 357 AMP \$28.00 ppd. NOTE: IF YOU REQUIRE
CASES FOR BOTH CALIBERS BUY ONLY THE 44 AMP FORM SET. THE 357 AMP CAN THEN BE EASILY MADE BY RUNNING THE 44 AMP INTO THE
357 AMP SIZE DIE. IF YOU NEED ONLY THE 357 BUY ONLY THE 357 FORM SET AS IT IS A LITTLE EASIER TO GO DIRECTLY TO THE
357 AMP. *GOLD OUTLINE REAR SIGHT BLUE EXCHANGE FOR BLUE 14.50 FOR WHITE 14.00 PPD.*
HOLSTERS: INCLUDE 1.50 PER HOLSTER FOR HANDLING AND POSTAGE. SHOULDER HOLSTER PLAIN BROWN 6 1/2 - \$32.00, 8 1/2 (will
also work for 10 1/2) - \$36.95. HEAVY FULL FLAP TOP LINED HOLSTER - this holster offers complete protection for the
AUTO MAG - can double as a carrying case - 2 1/4 inch belt loop. 6 1/2 or 8 1/2 - \$27.95, 10 1/2 \$29.95, COLOR BROWN.
CLIP POUCHES PLAIN \$11.00, BASKET - 12.50, SPECIFY BLACK OR BROWN. HEAVY BARREL CASES WITH SIGHT PROTECTOR DESIGNED TO
BE WORN ON BELT - OFFER COMPLETE PROTECTION TO YOUR EXTRA BBL. CHOICE OF BLACK OR BROWN. 6 1/2 - \$20.00, 8 1/2 -
\$22.00, 10 1/2 - 24.00.

CUSTOM LAMINATED WOOD GRIPS OF CONTRASTING WOODS - \$39.50 ppd. CLIP DEPRESSOR FOR EASY CLIP LOADING (HOLDS CLIP
DEPRESSED SO SHELLS CAN BE DROPPED IN) \$5.50ppd. EXTRA CLIP (same clip for all cal) \$19.50 PPD. YOUR CLIP TUNED
FOR SMOOTH OPERATION \$10.00 ppd. YOUR BBL MAG-NA-PORTED (MANDATORY FOR BEST FUNCTION ON THE 44 AMP). 31.00PPD.
COMPLETE REPAIR AND TUNING - SEE SEPERATE SHEET.

AUTO MAG AMMO LOADED IN NEW COMMERCIAL CASES AND PACKAGED IN 50 ROUND REUSABLE BOXES, YOUR BRASS OR BRASS MAY BE
PURCHASED FROM US. 357 AMP (YOUR BRASS) 90hp. 125hp. 140sp. 158sp. \$8.25/50, 165.00/1000. BRASS 110gr. 1000. SEE SET
44 AMP (YOUR BRASS) 180hp. 200hp. 240sp. 265sp. \$9.50/50, \$180.00/1000. BRASS 110gr. 1000. PRACTICE AMMO: SHEET
357 AMP H&G #51 CAST FROM LINOTYPE 23 BRINELL. THESE LOADS WILL STAY IN 10 INCHES AT 100 YDS. V-6 1/2 = 1600fps. DAPS
V-8 1/2 = 1750fps, V-10 1/2 = 1900. YOUR BRASS \$4.50/50, \$80.00/1000. 145 gr.
44AMP LYMAN 429383 CAST FROM 23 BRINELL LINOTYPE. THESE WILL STAY IN 6 INCHES AT 100 YDS. 240 GR. V 6 1/2 = 1350fps.
V-8 1/2 = 1450fps. V-10 1/2 = 1525fps. \$5.50/50. \$100.00/1000.

ALLISTICS OF THE JACKETED LOADS ABOVE THE PRACTICE

AMP	BULLET	V 6 1/2	V 8 1/2	V 10 1/2	44AMP BULLET	V 6 1/2	V 8 1/2	V 10 1/2
90hp	2325fps	2525fps	2750fps	180hp	1800fps	1975fps	2050fps	
125hp	1950fps	2100fps	2250fps	200hp	1600fps	1725fps	1850fps	
140sp	1850fps	2000fps	2125fps	240sp	1400fps	1500fps	1550fps	
158sp	1750fps	1900fps	2000fps	265sp	1200fps	1300fps	1400fps	

LOADING FOR THE AUTO MAG: Both the 357 and 44 AMP cases should be trimmed after the first firing after being full
length resized. Trim the 44 to 1.296 and the 357 to 1.294-1.295. The 357 AMP case should be sized enough for the bolt to
just rotate shut and then an additional .012. This can be done by removing the bolt from the gun and inserting it into
the bbl. assembly and manually rotating it shut with a sized round chambered. Start with the size die backed out and size
a case and try it in the gun. The bolt will not rotate. Turn the die down a little at a time until the point is
reached that the bolt can be JUST ROTATED SHUT WITH RESISTANCE FELT. This is the point of maximum allowable case headspace.
Now turn the size die down an additional .012. This will allow sufficient clearance for the bolt to rotate shut even
when the chamber and bolt are dirty from repeated firing.
The neck portion of the 357 AMP chamber runs .3984or-.001. Case o.d. at the neck should be around .398-.392 to allow
sufficient clearance for easy rotation. RCBS makes a separate taper crimp die that helps hold this dimension. This
die also eliminates the bulge that often arises using cases of varying length with roll crimping/.
If the neck walls of the 357 run over .019 they should be inside neck reamed although some guns will function well with
much heavier walls. RCBS markets a separate inside neck reamer die and reamer. This set is also included in the 357
form die set.

OAL of loads for both calibers should be such that they will run thru the magazine and chamber without having the bullets
hit the rifling. this length usually runs around 1.575-1.645 in both cals depending on the bullet.
With 80 and 90 gr bullets in the 357 AMP cases are usually best left unreamed to provide for sufficient bullet tension
to assure uniform ignition and bullet retention during recoil. Expander plugs usually run .355. They should be turned
down to .350. After sizing mouth I.D. should be around .350. SOME dies leave the mouth at .345. If yours do and your
neck walls are .016 return the die for correction.
Incidentally sometimes it is necessary to remove around .025 from the bottom of some 357 AMP size dies to be able to
properly adjust the headspace for rotation as explained above. See article in HANDLOADERS DIGEST FOR 1975 ON AUTO MAG
LOADING.

I RECOMMEND THE 357 AMP OVER THE 44 AMP. THE 357 SHOTS TWICE AS FLAT TO EXTREME RANGE, WILL SHOOT CONSISTENT 2 1/2 MOA
AT 100yds whenscoped from the bench, recoils only half as much as the 44 AMP, is more reliable and will last longer.

FOR THOSE THAT ARE INTERESTED MY PROTOTYPE 22, 25, AND 30 AMPS BEST LOADS SO FAR ARE THE FOLLOWING.
AMP 40gr-3200fps, 55gr-2900fps, 70gr-2500fps. 25AMP 60gr.-2600, 75gr. - 2550-. 100gr-2100. 117-2000fps.
AMP 110gr. 2400, 130gr-2200. 150gr-2100. THESE VELS ARE FROM 11 3/4 INCH BBLs.

Eventually these cals will become commercially available making the Auto mag truly a versatile big game, varmit and target
handgun.

ALL ABOVE PRICES FOB FT. WAYNE EXCEPT WHERE MARKED PPD.



HARD ALLOY CAST BULLETS

many other designs on hand
INQUIRE

PORTLAND CEMENT BULLETS

F F L numbers
35-9703, 35-9709
"Specializing in custom bullet work"

Kent A. Lement

4421 SOUTH WAYNE AVE
FORT WAYNE, IND. 46807
Ph: 219-744-8893

SHIPPING
WEIGHT IN
LBS./1000

CALIBER	H&G BULLET #	SIZE	WEIGHT & TYPE	PRICE PER 1000	
30Carbine	254BB	.308	120RN BB (BEVEL BASE)	20.00	20
9mm	115BB	.356	130RN BB	20.00	20
38-357	138	.357	200RN (ROUND NOSE)	22.00	30
"	43	"	170KSWC (KEITH SEMI WAD.)	21.00	26
"	Lyman 350156	"	156 Thompson GC (GAS CHECK)	35.00	"
"	51	"	156KT (KEITH TYPE)	21.00	"
"	51EB	"	156KT BB	21.00	"
"	39	"	156RN	21.00	"
"	50EB	"	146W (WAD CUTTER)	21.00	"
"	251	"	146W	21.00	"
41Mag.	250	.410	220KSWC	28.00	32
44Mag. Spec.	503 (Lyman 429421)	.429	240KSWC	30.00	38
"	Lyman 429383	"	255RN	30.00	"
"	Lyman 429244	"	250 Thompson GC	40.00	"
45Auto	#34	.452	230RN	28.00	37
45Auto (target)	130	.452	190SW	25.00	28
45 Colls AR	#57	.452-.454	240KSWC	30.00	28
Ruger Old Army	Round Ball	.457	Pure Lead	15.00	25
458, 45-70 etc.	LYMAN 457463	.458	405 (MOLD MODIFIED TO FLAT G.C. POINT FOR USE IN TUBULAR MAGAZINES)	60.00	60 lbs.
458, 45-70 etc	LYMAN 457406	.458	500 G.C. R.N.	72.00	73 lbs.
458, 45-70 etc	LYMAN 462560	.458	550 GR. G.C. FLAT POINT	80.00	83 lbs.
338 Win, 340 WBY	LYMAN 33899	.338	250GR FLAT POINT G.C.	40.00	38 lbs.

ADD 20% FOR QUANTITIES LESS THAN 1,000. ADD \$5.00 PER 1,000 FOR PACKAGING IN OTHER THAN BULK.
ALL BULLETS SIZED AND LUBRICATED WITH 50% Alox 21355 and 50% PURE YELLOW BELLAX. ALL PRICES FOR
FORT WAYNE, IN. BULLETS MUST BE SENT TO FEDERAL FIREARMS PERMIT HOLDER AND WE MUST HAVE CERTIFIED
COPY OF PERMIT ON FILE TO SHIP. INDIVIDUALS SHOULD SEE THAT WE HAVE COPY OF LOCAL HOLDERS PERMIT THEN
BULLETS CAN BE SENT TO INDIVIDUAL C/O OF FFL HOLDER. PHONE ORDER. EVENING 219-375-3664.

AUTO MAG TUNE UP INFORMATION:

A GENERAL OUTLINE OF WHAT GOES ON IN AN AVERAGE TUNE UP IS THE FOLLOWING.

PRICES EFFECTIVE MAY 75.

2 F L MOUNTAIN
35-9700, 35-9700, 35-9700, 35-9700
"Specializing in customizing and rebuilding firearms"
CUSTOM AUTO MAG WORK OUR SPECIALTY

PRECISION BULLETS

540

1. REAR SIGHT IS BLUED, EXCESS PLAY REMOVED AND COLORED FRONT SIGHT MATERIAL AFFIXED*.

2. HEADSPACE CHECKED AND ADJUSTED TO ALLOW OPTIMUM CLEARANCE FOR BOLT TO ROTATE SHUT WHEN ROUND IS CHAMBERED.

3. COCKING PIECE-BOLT FIT CHECKED. COCKING PIECE REPLACED AS NECESSARY.

4. COCKING PIECE MODIFIED AS NECESSARY TO ASSURE FREE MOVEMENT OF THE BOLT.

5. PROPER RADIUS ESTABLISHED ON VARIOUS AREAS OF THE BOLT TO ALLOW SMOOTH EASY MOVEMENT OVER AND PAST SHIELDS.

6. BOLT LUGS AND BBL LUGS HONED AND MATED AS NECESSARY.

7. PROPER CLEARANCE THROUGH INTEGRAL FRAME LUG CHECKED AND POLISHED IF NECESSARY.

8. HELIX AND INNER SURFACES OF BOLT POLISHED OR STONED AS REQUIRED FOR SMOOTH FUNCTION.

9. EXTRACTOR MOVEMENT AND BOLT FACE TO HOOK CHECKED. EXTRACTOR REPLACED AS NECESSARY.

10. EXTRACTOR MOVEMENT SET FOR SMOOTHNESS. SPRING TENSION ADJUSTED IF NECESSARY.

11. BOLT ROTATION PIN SET FOR SMOOTHNESS, POLISHED AND STONED FOR PROPER FIT.

12. ACCELERATOR THROW AND CLEARANCE CHECKED. ADJUSTED OR REPLACED AS REQUIRED.

13. BOLT SAFETY TAPPET, TRIGGER BAR, SAFETY PLATE AND SEAR RELATIONSHIP SET UP CORRECTLY FOR PROPER DISCONNECT AT INITIAL BOLT ROTATION.

14. SEAR AND TRIGGER SET FOR OPTIMUM PULL.

15. OPERATING ROD SPRING TENSION CHECKED AND BALANCED FOR PROPER TENSION.

16. OPERATION RODS CHECKED FOR STRAIGHTNESS AND PROPER CLEARANCE THROUGH FRAME.

17. ONE CLIP MODIFIED FOR SMOOTH FUNCTION AND ADJUSTED FOR PROPER CLEARANCE IN FRAME. CLIP RELEASE CHECKED AND ADJUSTED AS NECESSARY.

18. HOLDOPEN CHECKED FOR PROPER FIT AND FUNCTION:

19. TRIGGER BAR AND SEAR SPRING CHECKED AND REPLACED AS NECESSARY.

20. FIRING PIN CHECKED FOR CORRECT LENGTH, PROTRUSION AT BOTH ENDS AND FREEDOM OF MOVEMENT. SPRING CHECKED FOR PROPER TENSION AND LENGTH.

21. CHAMBER CHECKED FOR CORRECT DIMENSIONS AND RADIUS.

22. BBL ASSEMBLY MEASURED FOR PROPER DIMENSIONS AT CRITICAL POINTS AND POLISHED AS REQUIRED FOR FUNCTION.

23. FRAME POLISHED AT CRITICAL POINTS IF NECESSARY.

24. PIECE TESTFIRE AT LEAST 100 ROUNDS.

25. BBL. MAG-NA-PORTED. **

*NOTE. FRONT SIGHT CAN BE INSERTED BUT INSERTS SHOOT OUT. I LIKE TAPE BETTER.

**IF BBL ALREADY PORTED OR PORTING NOT DESIRED DEDUCT \$20.00.

ALL 44 AMP'S MUST BE PORTED FOR BEST FUNCTION. ALL UNS COPED 357 AMP'S SHOULD BE PORTED. IF SCOPING IS CONTINGENTATED

THE 357 SHOULD BE LEFT UNPORTED. THIS ASSURES SUFFICIENT BBL IMPULSE TO WORK THE ACTION WITH LIGHTER BULLETS OR

IN COLD WEATHER WITH THE ADDED WEIGHT OF SCOPE. THE LONGER THE BBL THE GREATER THE RECOIL IMPULSE DUE TO INCREASED

BBL TIME AND HIGHER VEL. THEREFORE LONGER BBL CAN PROFIT MORE FROM PORTING THAN THE SHORTER. THE WEIGHTS OF THE

44 AND 357 AMP BBL'S ARE SUBSTANTIALLY THE SAME. THE 44 HAS AROUND TWICE THE RECOIL OF THE 357, AND FOR THIS REASON


CAN GET BUY BETTER WITH PORTING.

PRICE OF A COMPLETE TUNE UP IS \$195.00 FOB FT. WAYNE. WITHOUT PORTING \$175.00.

WE CARRY A COMPLETE STOCK OF PARTS AND CAN UNDERTAKE ALMO ANY KIND OF AUTO MAG REPAIR.

1-17-77

Kent A. Lomont
LOMONT PRECISION BULLETS
 4421 SOUTH WAYNE
 PORT WAYNE, IN. 46807
 F&F numbers 35-9708, 35-9709 PHONE 219-744-8883
 "specializing in custom loading & bullets" "supplies"
 CUSTOM AUTO MAG WORK OUR SPECIALTY



Parts List

.357 and .44
**AUTO
 MAG**

RETAIL PRICE LIST

1.	Barrel & Extension Assy.	185.00	36.	Trigger Bar	6.75
2.	Accelerator Block Pin	1.35	37.	Trigger Bar Spring	.75
3.	Accelerator Block	14.25	38.	Trigger	8.85
4.	Accelerator	14.25	39.	Trigger Bar Pin	1.35
5.	Rear Sight Pin	1.35	40.	Trigger Spring	1.75
6.	Rear Sight Platform	15.10	41.	Sear Pin	1.75
7.	Rear Sight Elevation Spring	.35	42.	Sear	15.75
8.	Elevation Adjustment Screw Assy.	4.75	43.	Sear Spring	.75
9.	Windage Adjustment Screw Assy.	4.85	44.	Bolt Safety Tappet	4.00
10.	Rear Sight Blade	14.25	45.	Safety Lever	18.75
11.	Rear Sight Windage Spring	.35	46.	Safety Lever Detent Plunger	3.55
12.	Grip Screw	.25	47.	Safety Lever Detent Spring (Outer)	1.25
13.	Left Grip	6.75	48.	Safety Lever Detent Spring (Inner)	1.25
14.	Right Grip	6.75	49.	Hammer Pin Retaining Ring	.35 (pr.)
15.	Magazine Assy.	18.50	50.	Hammer Pin	3.75
16.	Recoil Rod	5.75	51.	Hammer	15.75
17.	Recoil Spring	2.50	52.	Hammer Strut Pin	1.75
18.	Cocking Piece	17.55	53.	Hammer Strut	4.75
19.	Firing Pin	4.15	54.	Hammer Strut Guide	1.75
20.	Firing Pin Spring	.75	55.	Hammer Spring (Outer)	1.00
21.	Bolt Rotation Pin	7.50	56.	Hammer Spring (Inner)	1.00
22.	Bolt	65.00	57.	Magazine Latch	7.25
23.	Bolt Rotation Spring	1.00	58.	Magazine Latch Spring	.75
24.	Extractor Retaining Pin	.75	59.	Magazine Latch Retainer	.85
25.	Extractor	10.75	60.	Barrel Latch	3.75
26.	Extractor Spring	.85	61.	Barrel Latch Detent Plunger	.75
27.	Ejector Retaining Pin	.75	62.	Barrel Latch Detent Spring	1.00
28.	Ejector	.85	63.	Frame	N/A
29.	Ejector Spring	.25			
30.	Retaining Ring	.25 (pr.)			
31.	Safety Plate Spacer	4.10			
32.	Safety Plate	6.75			
33.	Trigger & Elevation Screw	1.00			

Effective March, 1975
 Prices subject to change without notice.



PRICES EFFECTIVE MAY 75.

LOMONI PRECISION BULLETS

Kent A. Lomoni

4421 SOUTH WAYNE

FORT WAYNE, IN. 46807

F.F.L. numbers

35-9708, 35-9709

PHONE 219-244-2243

"specializing in custom reloading & bullet supplies"

CUSTOM AUTO MAG WORK OUR SPECIALTY

1-17-77

CALIBER	BULLET	LOAD PER/50	LOAD PER/1000	BRASS PER/1000
30 Carbine	110 Jacket S.P.	4.00	70.00	30.00
9 mm	130 Cast	3.00	50.00	50.00
9 mm	110 Jacket H.P.	3.75	65.00	50.00
38 Special	148 Wadcutter, 156 Roundnose, 160 or 170 Semi-Wadcutter, 148 Pure Lead Hollow-Base Wadcutter Loaded Forward or Backward or 200 Roundnose	3.00	50.00	25.00
38 Special	110, 125 or 140 Jacketed H.P.	3.75	65.00	25.00
357 Mag.	156 Roundnose, 160 Semi-Wad	3.25	55.00	45.00
357 Mag.	110, 125, 140, 158 Jacketed H.P.	4.00	70.00	45.00
41 Mag.	220 Keith With Target or Service Load	4.50	80.00	55.00
41 Mag.	170 or 210 Sierra H.C.	6.50	110.00	55.00
44 Mag.	250 Keith With Target or Service Load	4.50	80.00	55.00
44 Mag.	180 or 240 Sierra H.C.	6.50	110.00	55.00
45 Auto.	190 Target Semi-Wadcutter or 230 Roundnose	3.50	60.00	35.00
45 Auto.	190 Super Vel H.P.	5.50	100.00	35.00
357 Auto-Mag	50, 125, 140 and 158 Jacketed for Hunting	8.25	165.00	205.00 = 1025/50
	150 Cast for Practice	4.50	80.00	205.00
44 AUTO-MAG	180, 200, 240, and 265 Jacketed for Hunting	9.50	180.00	190.00 = 950/50
	240 Cast for Practice	5.50	100.00	190.00

CALIBER

PRICE PER/100 IN CUSTOMER BRASS

221, 222, 222 Mag, 223, 22-250, 220 Swift, Etc.
22 Jet, 256 Win, 224 Wby, 225 Win

16.50

243 Win, 6mm Rem (244), 257 Roberts, 250 Sav, Etc.

20.00

270, 284, 7mm Mauser, 8mm Mauser, Etc.
30-30, 32 Win S.P., 30-06, 308, 300 Sav.
303 Sav or 303 British

21.00

240 Wby, 350 Rem Mag, 6.5 Rem Mag, 35 Rem,
358 Win, 257 Wby, 270 Wby, 7mm Wby, 7mm Rem Mag,
300 Win Mag, 300 Wby Mag, 300 H & H, 308 Norma,
444 Marlin

23.00

45-60, 45-70 and 45-90, Etc. With 405 S.P.

25.00

340 Wby, 338, 375 R & H, 378 Wby, 358 Norma

25.00

458, 460 Wby, Etc.

405 S.P.

30.00

500 S.P.

50.00

500 FMJ

80.00

600 FMJ or S.P.

90.00

ALL RIFLE LOADS ARE IN CUSTOMER BRASS. WE ARE TOOLED UP FOR MANY OTHER POPULAR CALIBERS. \$7.50 ADDITIONAL FOR PACKAGING IN 50 ROUND BOXES PER/1000. ALL PRICES ARE F.O.B. AND DELIVERY TO CARRIER CONSTITUTES DELIVERY TO PURCHASER. CLAIMS FOR SHORTAGE MUST BE FILED WITHIN 10 DAYS AFTER RECEIPT OF SHIPMENT. NO CREDIT. ONE HALF OF TOTAL MUST BE SENT WITH ORDER TO RECEIVE C.O.D. SHIPMENTS.

WE GUARANTEE THE EXERCISE OF REASONABLE CARE IN THE MANUFACTURE OF THESE CARTRIDGES, BUT MAKE NO OTHER WARRANTY, EXPRESSED OR IMPLIED.

Kent A. Lomont
LOMONT PRECISION BULLETS

F.F.L. numbers 4421 SOUTH WAYNE AVE
35-9768, 35-9769 FORT WAYNE, IND. 46807
"specializing in custom reloading & shooters' supplies" Ph. 219-744-8883

AUTO MAG PRICES EFFECTIVE JAN. 15 1974

Automag complete with carrying case in 357, 41 or 44 cal with
6½ ribbed bbls, 8½ or 10½ unribbed bbls. \$375.00

Extra bbls \$175.00

Custom Laminated wood grips 35.00

Clip Depressor for easy clip loading 6.95

Clip 15.00

Parts and service also available (write)

Ammunition (would prefer to have your bbl assembly to fit
ammo to- in 357 and 41 cal especially)

44 brass \$110.00/1000

41 and 357 145.00/1000

Loads packaged in Auto Mag Plastic Boxes

44 and 41 9.50 per 50

357 8.50 per 50

LOADS PLUS BRASS

44 loaded with 180 @ 1800 or 240 @ 1500

41 loaded with 170 @ 1900 or 210 @ 1550

357 loaded with 137 @ 1950

All V in 6½ bbl.

Other bullet weights available in quantities of 1000.

Join CLUB DE AUTO MAG INTERNATIONAL, INC.

P. O. BOX 400

SHELBYVILLE, IN. 46176

\$10.00 per year

Auto-Mag with Mag-Na-Port and custom laminated grips test fired and checked out
443.00

Mag-Na-Port your bbl or one purchased from us 33.00